



pmsh_db_layout

Table measurement_group		
* Pk	id	integer
*	subscription_name	varchar(100)
*	measurement_group_name	varchar(100)
	measurement_type	json
	managed_object_dns_basic	json
Indexes		
Pk	pk_measurement_group_id	id
Foreign Keys		
	fk_measurement_group (subscription_name)	ref subscriptions (subscription_name)

Table network_functions		
* Pk	id	integer
* Unq	nf_name	varchar(100)
	ip_address	varchar(20)
	model_invariant_id	varchar(100)
	model_version_id	varchar(100)
	model_name	varchar(100)
	sdnc_model_name	varchar(100)
	sdnc_model_version	varchar(100)
	retry_count	varchar
Indexes		
Pk	pk_network_functions_id	id
Unq	unq_network_functions	nf_name
Options		
engine=InnoDB		

Table nf_filter		
* Pk	id	integer
* Unq	subscription_name	varchar(100)
	nf_names	varchar[]
	model_invariant_ids	varchar[]
	model_version_ids	varchar[]
	model_names	varchar[]
Indexes		
Pk	pk_tbl_id_0	id
Unq	unq_nf_filter	subscription_name
Foreign Keys		
	fk_tbl_subscriptions_0 (subscription_name)	ref subscriptions (subscription_name)

Table nf_to_sub_rel		
* Pk	id	integer
	subscription_name	varchar(100)
	nf_name	varchar(100)
	nf_sub_status	varchar(20)
Indexes		
Pk	pk_nf_to_sub_rel_id	id
Foreign Keys		
	fk_nf_to_sub_rel_subscriptions (subscription_name)	ref subscriptions (subscription_name)
	fk_nf_to_sub_rel_nf_to_sub_rel (nf_name)	ref network_functions (nf_name)
Options		
engine=InnoDB		

Table subscriptions

* Pk	id	integer
* Unq	subscription_name	varchar(100)
	status	varchar(20)
	administrative_state	varchar(20)
	file_based_gp	integer
	file_location	varchar(100)
Indexes		
Pk	pk_subscriptions_id	id
Unq	unq_subscriptions	subscription_name
Options		
engine=InnoDB		